UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/588,636	08/04/2006	Kazuyoshi Okawa	NAA243	9797
GALLAGHER & LATHROP, A PROFESSIONAL CORPORATION 601 CALIFORNIA ST			EXAMINER	
			MCMAHON, DANIEL F	
SUITE 1111 SAN FRANCISCO, CA 94108			ART UNIT	PAPER NUMBER
			2117	
			MAIL DATE	DELIVERY MODE
			08/06/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/588,636	OKAWA ET AL.			
Office Action Summary	Examiner	Art Unit			
	DANIEL F. MCMAHON	2117			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
Responsive to communication(s) filed on <u>04 Au</u> This action is FINAL . 2b) ☑ This Since this application is in condition for allowant closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro				
Disposition of Claims					
4) ☐ Claim(s) 1-10 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-10 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or Application Papers 9) ☐ The specification is objected to by the Examiner 10) ☐ The drawing(s) filed on 04 August 2006 is/are: Applicant may not request that any objection to the ore Replacement drawing sheet(s) including the correction.	r election requirement. r. a)⊠ accepted or b)⊡ objected t drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).			
11) The oath or declaration is objected to by the Ex		•			
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 08/01/2008.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate			

DETAILED ACTION

Claims 1 – 10 are presented for examination

Information Disclosure Statement

1. The information disclosure statement (IDS) submitted on August 04, 2006 and May 02, 2007 was received. The submission is in compliance with the provisions of 37 CFR 1.97. Accordingly, the information disclosure statement is being considered by the examiner.

Specification

2. The specification is objected to as failing to provide proper antecedent basis for the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). Correction of the following is required:

"units of processing" in claims 1, 2, 5, 7, and 10 is not sufficiently supported in the specification.

"a processing-unit-by-processing-unit basis" in claim 6 is not sufficiently supported in the specification.

Prior Art Rejections

3. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein

Art Unit: 2112

were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 1, 2, 4 7, 9, and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Oikawa et al. U.S. Patent 6,459,292 (herein Oikawa), in view of "GNU Emacs 19 Manual" by Richard M. Stallman (herein Stallman).
- 6. Regarding claim 1, Oikawa teaches: a semiconductor device test apparatus (abstract): a test processor which applies a test signal to a semiconductor device under test and obtains information about a defective memory cell from a response signal (figure 1, element 20); and a repair analysis computing unit which performs repair analysis of the defective memory cell information to determine a way to repair the defective memory cell (figure 1, element 50 5F); wherein the repair analysis computing unit comprises: memory repair analysis means for performing repair analysis

of the defective memory cell information in accordance with a memory repair analysis program and determining assignment of a spare line to the defective memory cell (column 6, lines 32 - 43);

Oikawa does not teach: a user function means for inserting a user function based on a user-specified user analysis program between desired units of processing of the memory repair analysis program to make a change to data processed by the memory repair analysis program.

Stallman teaches: a user function means for inserting a user function based on a user-specified user analysis program between desired units of processing of the memory repair analysis program to make a change to data processed by the memory repair analysis program (section 30.2.3 Hooks, paragraph 1-3).

A person of ordinary skill in the art, at the time of the invention, would find it obvious to combine the teachings of Oikawa: a test processor and repair analysis computing unit with memory repair analysis means, with the teaching of Stallman: a user function means, for the purpose of allowing the user to customize behavior of the mode of the memory repair analysis program (section 30.2.3 Hooks, paragraph 3, lines 1 - 2).

7. Regarding claim 2, Oikawa and Stallman teach the limitations of the parent claim, claim 1. Oikawa does not teach: memory repair analysis public function means which inserts the user function between desired units of processing of the memory repair analysis program through the intervention of a memory repair analysis public function.

Application/Control Number: 10/588,636

Art Unit: 2112

Stallman teaches: memory repair analysis public function means which inserts the user function between desired units of processing of the memory repair analysis program through the intervention of a memory repair analysis public function (section 30.2.3 Hooks, paragraph 1-3).

Page 5

A person of ordinary skill in the art, at the time of the invention, would find it obvious to combine the teachings of Oikawa: as cited above, with the teaching of Stallman: a memory repair analysis public function means, for the purpose of allowing the user to customize behavior of the mode of the memory repair analysis program (section 30.2.3 Hooks, paragraph 3, lines 1 - 2).

8. Regarding claim 4, Oikawa and Stallman teach the limitations of the parent claim, claim 1. Oikawa additionally teaches: a fail memory which stores the defective memory cell information provided from the test processor (figure 1, element 60 – 6F; column 6, lines 12 – 14); a memory repair analysis program storage section which stores the memory repair analysis program (figure 1, element 41 – 44); a user analysis program storage section which stores the user analysis program; and an analysis control part which controls execution of the memory repair analysis program and execution of the user analysis program (figure 1, element 20); and the analysis control part and the memory repair analysis program storage section constitute the memory repair analysis means and the analysis control part and the user analysis program storage section constitute the user function means (figure 1).

9. Regarding claim 5, Oikawa and Stallman teach the limitations of the parent claim, claim 5. Oikawa additionally teaches: a repair condition file storage section which stores a plurality of repair condition files, each defining a repair condition for each type of semiconductor device (column 8, lines 28 - 36, 52 - 56); the user analysis program storage section stores as the user analysis program a plurality of sets of user functions defined correspondingly to the plurality of repair condition files (figure 1, element 10); and the analysis control part selects a set of user functions on the basis of a repair condition file that matches the type of the semiconductor device under test and (column 8, lines 52 - 56). Oikawa does not teach: inserting the set of user functions between units of processing of the memory repair analysis program.

Stallman teaches: inserting the set of user functions between units of processing of the memory repair analysis program (section 30.2.3 Hooks, paragraph 1-3).

A person of ordinary skill in the art, at the time of the invention, would find it obvious to combine the teachings of Oikawa: as cited above, with the teaching of Stallman: inserting the set of user functions, for the purpose of allowing the user to customize behavior of the mode of the memory repair analysis program (section 30.2.3 Hooks, paragraph 3, lines 1 - 2).

10. Regarding claim 6, Oikawa teaches: a semiconductor device test method (abstract) (a) performing a function test on a memory of a semiconductor device under test to obtain information about a defective memory cell (abstract); (b) performing memory repair analysis of the defective memory cell information on a processing-unit-

Page 7

by-processing-unit basis to determine assignment of a spare line to the defective memory cell (column 6, lines 32 - 43); and using function based on a user-defined defective memory cell repair condition to make a change to data processed by the memory repair analysis program (column 8, lines 52 - 56). Oikawa does not teach: inserting a user function between desired processing units.

Stallman teaches: inserting a user function between desired processing units (section 30.2.3 Hooks, paragraph 1-3).

A person of ordinary skill in the art, at the time of the invention, would find it obvious to combine the teachings of Oikawa: performing a function test on a memory and performing memory repair analysis, as cited above, with the teaching of Stallman: inserting a user function, for the purpose of allowing the user to customize behavior of the mode of the memory repair analysis (section 30.2.3 Hooks, paragraph 3, lines 1 - 2).

11. Regarding claim 7, Oikawa and Stallman teach the limitations of the parent claim, claim 6. Oikawa does not teach: inserting the user function between units of processing of the memory repair analysis program through the intervention of a memory repair analysis public function.

Stallman teaches: inserting the user function between units of processing of the memory repair analysis program through the intervention of a memory repair analysis public function (section 30.2.3 Hooks, paragraph 1-3).

A person of ordinary skill in the art, at the time of the invention, would find it obvious to combine the teachings of Oikawa: as cited above, with the teaching of

Stallman: a public function, for the purpose of allowing the user to customize behavior of the mode of the memory repair analysis (section 30.2.3 Hooks, paragraph 3, lines 1 - 2).

12. Regarding claim 9, Oikawa and Stallman teach the limitations of the parent claim, claim 6. Oikawa additionally teaches: performing line fail repair processing and performing bit repair processing (column 6, lines 32 – 43). Oikawa does not teach: making a change to the result of the line fail repair processing through the user function after the step of performing the line fail repair processing and the step of making a change to the result of the bit repair processing through the user function after the step of performing the bit repair processing through the user function after the step of performing the bit repair processing.

Stallman teaches: making a change to the result of the line fail repair processing through the user function after the step of performing the line fail repair processing and the step of making a change to the result of the bit repair processing through the user function after the step of performing the bit repair processing (section 30.2.3 Hooks, paragraph 1-3).

A person of ordinary skill in the art, at the time of the invention, would find it obvious to combine the teachings of Oikawa: performing line fail repair processing and performing bit repair processing, as cited above, with the teaching of Stallman: the user function inserted between program steps, for the purpose of allowing the user to customize behavior of the mode of the memory repair analysis (section 30.2.3 Hooks, paragraph 3, lines 1 - 2).

Art Unit: 2112

13. Regarding claim 10, Oikawa and Stallman teach the limitations of the parent claim, claim 6. Oikawa additionally teaches: selecting a set of functions that corresponds to the type of the semiconductor device under test from among a plurality of sets of user functions provided correspondingly to a plurality of repair conditions predetermined for the types of semiconductor devices and inserting the set of user functions between units of processing of the memory repair analysis program (column 8, lines 28 – 36, 52 – 56).

- 14. Claims 3 and 8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Oikawa and Stallman, in view of Reese, U.S. Patent 6,370,516 (herein Reese).
- 15. Regarding claim 3, Oikawa and Stallman teach the limitations of the parent claim, claim 2. Oikawa does not teach: memory repair analysis public function having a data check function portion which checks data set by the user function to determine whether the data is proper.

Reese teaches: having a data check function portion which checks data set by the user function to determine whether the data is proper (claim 18).

A person of ordinary skill in the art, at the time of the invention, would find it obvious to combine the teachings of Oikawa: as cited above, and the teaching of Reese: a data check function, for the purpose of maintaining proper operation of software. A data check function is a well known technique and the combination would yield predictable results.

Art Unit: 2112

16. Regarding claim 8, Oikawa and Stallman teach the limitations of the parent claim, claim 7. Oikawa does not teach: executing a data check function which checks data set by the user function to determine whether the data is proper.

Reese teaches: executing a data check function which checks data set by the user function to determine whether the data is proper (claim 18).

A person of ordinary skill in the art, at the time of the invention, would find it obvious to combine the teachings of Oikawa: as cited above, and the teaching of Reese: a data check function, for the purpose of maintaining proper operation of software. A data check function is a well known technique and the combination would yield predictable results.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DANIEL F. MCMAHON whose telephone number is (571)270-3232. The examiner can normally be reached on M-Th 8am-5pm(EST).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jacques Louis-Jacques can be reached on (571)272-6962. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2112

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/JACQUES H LOUIS-JACQUES/ Supervisory Patent Examiner, Art Unit 2100

dfm 08/01/08